






Crystal Collection

Decorative profiles for wall tiling. Made with Swarovski Elements





Wall tile: Proyectado negro 33x100 cm Decorative profile: pro-part Li Crystal SW Galaxy

pro-part Li Crystal SW Galaxy

Chromed brass profile. Made with Swarovski Elements



pro-part Li Crystal SW Galaxy 11 mm 11x11x2500 mm

B71342657 100171653

Crystal Collection

Decorative profiles for wall tiling. Made with Swarovski Elements





Wall tile: Port black 31,6x90 cm Decorative profile: pro-part Crystal SW Gold

pro-part Crystal SW Gold

24 carat gold plated profile. Made with Swarovski elements



pro-part Crystal SW Gold 11 mm 8x11x2500 mm B71342629 100155354

pro-part Crystal SW Silver

Chromed brass profile. Made with Swarovski Elements



pro-part Crystal SW Silver 11 mm 8x11x2500 mm B71342631 100155356

pro-part Crystal SW Graphite

Chromed brass profile. Made with Swarovski Elements




pro-part Crystal SW Graphite 11 mm 8x11x2500 mm B71342630 100155355

Chrome collection

Decorative profiles for wall tiling. High-gloss chromed brass profiles.







pro-part Chrome

Chromed brass profile. 8 mm decorative trim.



pro-part Chromed brass 11 mm

B73134003 100005370

8x11x2500 mm

pro-mate 5 Chrome

Chromed brass profile. 5 mm decorative trim.



pro-mate 5 Chromed brass 11 mm

B71132004 100004946

5x11x2500mm

pro-mate 3 Chrome

Chromed brass profile. 3 mm decorative trim.



pro-mate 3 Chromed brass 10 mm

B71133003 100004953


3x10x2500 mm

Nepal pulpis 31,6x90 cm Decorative profile: pro-part chrome

The Chrome collection profiles are also available in 9 and 12,5 mm.

Decorative profiles for wall tiling.
Brass profiles with metallic covering.





Wall tile: Manila blanco 31,6x90 cm - Manila deco blanco 31,6x90 Decorative profile: pro-part brass Ocean

pro-part ocean

Brass profile with metallic covering. 8 mm decorative trim.




pro-part ocean line



Decorative profiles for wall tiling. Brass profiles with metallic covering.





Wall tile: Cerdeña marfil 31,6x90 cm Decorative profile: pro-part brass Moon line

pro-part moon

Brass profile with metallic covering. 8 mm decorative trim.



pro-part brass moon 7 mm 8x7x2500 mm	B71342681	100177056
pro-part brass moon 11 mm 8x11x2500 mm	B71342591	100120369
pro-part brass moon 12,5 mm 8x12,5x2500 mm	B71342673	100177071


pro-part moon line



pro-part brass moon line 7 mm 8x7x2500 mm	B71342683	100177063
pro-part brass moon line 11 mm 8x11x2500 mm	B71342634	100158267
pro-part brass moon line 12,5 mm	B71342674	100177080

Decorative profiles for wall tiling. Brass profiles with metallic covering.





Wall tile: Dover Arena y Dover Line Arena 31,6x90 cm Decorative profile: pro-part brass Line

pro-part line

Brass profile with metallic covering. 8 mm decorative trim.



pro-part brass line 7 mm 8x7x2500 mm	B71342684	100177061
pro-part brass line 11 mm 8x11x2500 mm	B71342593	100120367
pro-part brass line 12,5 mm 8x12,5x2500 mm	B71342678	100177058

pro-part line matt



pro-part brass line matt 7 mm 8x7x2500 mm	B71342682	100177062
pro-part brass line matt 11 mm 8x11x2500 mm	B71342633	100157798
pro-part brass line matt 12,5 mm 8x12,5x2500 mm	B71342676	100177059

Decorative profiles for wall tiling. Brass profiles with metallic covering.







Wall tile: Dover antique 31,6x90 cm Decorative profile: pro-part Graphite

pro-part graphite

Brass profile with metallic covering. 8 mm decorative trim.



pro-part brass graphite 7 mm 8x7x2500 mm	B71342671	100177049
pro-part brass graphite 11 mm 8x11x2500 mm	B71342590	100120366
pro-part brass graphite 12,5 mm 8x12,5x2500 mm	B71342667	100177035

pro-mate 5 graphite



pro-mate 5 graphite 7 mm 5x7x2500 mm	B71342670	100177054
pro-mate 5 graphite 11 mm 5x11x2500 mm	B71342598	100120359
pro-mate 5 graphite 12,5 mm 5x12.5x2500 mm	B71342665	100177048

Decorative profiles for wall tiling.
Brass profiles with metallic covering.





Dover antique 31,6x90 cm
Decorative profile:
pro-part Graphite matt

pro-part graphite matt

Brass profile with metallic covering. 8 mm decorative trim.



	The state of the s	
pro-part brass graphite matt 7 mm 8x7x2500 mm	B71342672	100177037
pro-part brass graphite matt 11 mm 8x11x2500 mm	B71342636	100158266
pro-part brass graphite matt 12,5 mm 8x12,5x2500 mm	B71342668	100177053

pro-part graphite matt line



pro-part brass graphite matt line 7 mm 8x7x2500 mm	B71342679	100177055
pro-part brass graphite matt line 11 mm 8x11x2500 mm	B71342637	100158265
pro-part brass graphite matt line 12,5 mm	B71342669	100177036

Decorative skirtings for PAR-KER tiles by PORCELANOSA. LIFESTYLE design.



Oxford series



Floor tile: Oxford acero 14,3x90 cm - 22x90 cm Decorative profile: pro-skirting Oxford acero

pro-skirting Oxford aceroMetallic skirting with timber look.



pro-skirting Oxford acero 100 mm 100x10x1800 mm

pro-skirting Oxford antrcita 100 mm

100x10x1800 mm

pro-skirting Oxford castaño 100 mm

100x10x1800 mm

pro-skirting Oxford silver 100 mm

100x10x1800

pro-skirting Oxford cognac 100 mm

100x10x1800 mm

pro-skirting Oxford natural 100 mm

100x10x1800 mm

pro-skirting Oxford blanco 100 mm

100x10x1800 mm


pro-skirting Oxford black 100 mm

100x10x1800 mm

Decorative skirtings for PAR-KER tiles by PORCELANOSA. LIFESTYLE design.



Ascot series



Floor tile: Ascot teca 14,3x90 cm - 22x90 cm Decorative profile: pro-skirting Ascot teca

pro-skirting Ascot tecaMetallic skirting with timber look.



pro-skirting Ascot teca 100 mm 100x10x1800 mm

pro-skirting Ascot roble 100 mm

100x10x1800 mm

pro-skirting Ascot olivo 100 mm

100x10x1800 mm

pro-skirting Ascot arce 100 mm

100x10x1800 mm

pro-skirting Ascot grey 100 mm

100x10x1800 mm

Decorative skirtings for PAR-KER tiles by PORCELANOSA. LIFESTYLE design.



Chelsea series



Chelsea silver 19,3x180 cm - 29,4x180 cm Decorative profile: pro-skirting Chelsea silver

pro-skirting Chelsea silverMetallic skirting with timber look.



pro-skirting Chelsea silver 100 mm 100x10x1800 mm

pro-skirting Chelsea arce 100 mm

100x10x1800 mm

pro-skirting Chelsea bone 100 mm


100x10x1800 mm

pro-skirting Chelsea camel 100 mm

100x10x1800 mm

Decorative skirtings for ceramics floors. LIFESTYLE design.





Portland Caliza 31,6x90 cm - Listón Oxford Natural 31,6x90 cm Decorative profile: pro-skirting Chrome

pro-skirting ChromeMetallic skirting with gloss finishing. 60 mm



pro-skirting 60x10 chromed aluminium

60x10x2500 mm

pro-skirting corner chromed aluminium 60x10x10 mm

pro-skirting White Metallic skirting in white colour. 60 mm



pro-skirting 60x10 white aluminium 60x10x2500 mm

pro-skirting corner white aluminium

60x10x10 mm

B79141524 100121361

B79141525 100121362

Decorative skirtings for ceramics floors. LIFESTYLE design.





Floor tile: Rodano silver 59,6x59,6 cm Decorative profile: pro-skirting Anodized aluminium

pro-skirting anodized aluminiumMetallic skirting with anodiced finishing. 60 mm



pro-skirting 60x10 anodized aluminium 60x10x2400 mm

pro-skirting corner anodized aluminium 60x10x10 mm

B79141526 100126827

pro-skirting Graphite

Metallic skirting with graphite finishing. 60 mm



pro-skirting 60x10 graphite 60x10x2500 mm

pro-skirting corner graphite

60x10x10 mm

B71342627 100155326

B71342626 100155327

Premium COLLECTION

PORCELANOSA

#Porcelanosa Premium Collection reúne toda una gama de productos que confluyen para crear los espacios más exclusivos del Grupo Porcelanosa.

Una selección de productos y materiales definidos por tres rasgos comunes: exclusividad, distinción y elegancia. Griferías en acabados rosé, titanio o plata; piedras y maderas naturales, cocinas en acabados especiales o cerámicas de grandes formatos son algunos de los productos que conforman esta colección y consiguen crear con ella espacios con personalidad y exclusividad propias.

Un concepto que gira en torno a la sofisticación, la calidad y la calidez de los materiales en busca del equilibrio y la excelencia en la materialización de espacios con distinción.

#Porcelanosa Premium Collection brings together a range of products that come together to create the most exclusive settings from Porcelanosa Grupo.

A selection of products and materials defined by three common features: exclusivity, distinction and elegance. Taps with rosé, titanium or silver finish; woods and natural stones, kitchens with special finishes or large format ceramic tiles are some of the products that are part of this collection and help to create spaces with their own personality and exclusivity.

A concept turning around sophistication, quality and warmth of the materials, always looking for balance and excellence when creating spaces with distinction.



PORCELANOSA Grupo







Premium
COLLECTION
PORCELANOSA

ELEGANCIA, DISTINCIÓN Y EXCLUSIVIDAD

METAL SELECTION (11X2500 MM DECORATIVE PROFILES

pro-part rose

Brass profile with metallic covering. 8 mm decorative trim.



pro-part rose 11 mm 8x11x2500 mm

B71342651 100168058

pro-part antique

Brass profile with metallic covering. 8 mm decorative trim.



pro-part brass Antique 11 mm 8x11x2500 mm

B71342650 100168057

pro-part graphite matt line

Brass profile with metallic covering. 8 mm decorative trim.



pro-part brass graphite matt line 11 mm B71342637 100158265 8x11x2500 mm

butech innovation MICRO-STUK design



MICRO-STUK design butech

The current architecture demands for new materials for decoration and interior design. Thus, the PORCELANOSA Group companies have incorporated a wide variety of materials to complement the ceramic tiling that characterize PORCELANOSA: mosaics, wood and natural stones from L'ANTIC COLONIAL, technical porcelain tiles and XLIGHT from URBATEK, KRION from SYSTEM-POOL and now micro-stuk design from BUTECH.

The butech micro-stuk design is a type of fine cement rendering that modified with high strength and durability polymers, becomes an outstanding and stylish covering, fine and tough at the same time. butech micro-stuk design represents the best example of the chemical and technologic evolution, using the traditional clinker of the cement production and adding it other products that transform chemically the cement and make it a thinner product with extreme hardness and great flexibility. This way, we obtain a covering without joints that does not fissures and whose strength and hardness are way above of the traditional cement.

Recommended uses:
Indoor dry and wet room walls.
Shower cabins.
Worktops and furniture covering.
Exterior façades.
On request, it can be also used on floors, both indoors and outdoors.

Main characteristics:
It is continuous without joints across the covering.
Only 2 mm thick.
Suitable for most building substrates.
It does not need to remove the existing material. Reduce the debris production.
It doesn't need maintenance.
If required, it can be waterproofed.
It is fire resistant.

Available in a wide range of colors and shades of each color.

Can be combined with many other different materials such as ceramic tiles.

Similar prices to tile installation.




PORCELANOSA Grupo





Premium COLLECTION PORCELANOSA

ELEGANCIA. DISTINCIÓN Y EXCLUSIVIDAD



PORCELANOSA Ventilated Façades

butech projects

PORCELANOSA Ventilated Façades



Les Thermes de Balaruc, France




Northeastern Illinois University, Chicago IL, USA



Via Castellmare, Milano, Italy



The Filaments, London, England



Sports center, Ciudad Real, Spain



Hotel Indigo, Newark NJ, USA

Modular system

butech projects





Krich[®] Ventilated Façades



Centre Mondial de Recherche et Développement du Groupe ROULLIER, Saint Malo, France



Sud de France, France

Krich® Ventilated Façades

butech projects



Shenzen mall and office building, China



3M Headquarters, Madrid, Spain

Krich® Ventilated Façades



Domaine de la foret, Meudon, France




Pharmacy Vila-real, Spain

K | C | N[®] Ventilated Façades

butech projects

Krich[®] Ventilated Façades



French Embassy in Bangkok, Thailand



Private residence, Spain



IN'ESS Le Grand Narbonne, Narbone, France



Hotel Zenit, San Sebastian, Spain

RAF: Raised Access Flooring




Zaragoza court of justice building floors, Spain



Vila-real building offices, Spain


Porcelain deck system



Silverwood House, England



Son Moll Hotel terraces flooring, Spain



Natural stone and tile fixing

Cement-based adhesives for ceramic tiles and natural stone.

super-flex S2

super-flex S2 is a type C2 TE S2 high-performance no dust cement-based adhesive, as per EN 12004, for laying all kinds of ceramic tiles on the most used substrates in the building industry. Specially recommended for laying large format, thin porcelain tiles like XLIĞHT from URBATEK.

Recommended applications:

Indoor coverings with XLIGHT ceramic tiles. Laying of ceramics in refurbishing jobs. Indoor and outdoor porcelain tile coverings



White 15 Kg B12909017 100142757

tixocem plus

tixocem plus is a C1 TE class cement-based adhesive, suitable for fixing porcelain tiles on cement-based substrates or flexible ones like plasterboard. Bedding up to 10 mm thickness.

Recommended applications:

Wall coverings over plasterboard. Porcelain tile indoor floors.



White B11906007 100043280

flexitec n

flexitec n is a C2TE cement-based adhesive, suitable for fixing stoneware outdoor and on flexible substrates like plasterboard.

Recommended applications:

Wall tiles on plasterboard. Indoor and outdoor floor tiles.



White B12902003 100004232 Grey B12901002 100004230

one-flex n

one flex n is a high-performance, C2 TE S1 class cement-based adhesive, suitable for laying all coverings manufactured by PORCELANOSA Group on substrates typically used in building projects.

Recommended applications:

Large-format wall and floor tiles (e.g. 31.6 x 100, 59.6 x 59.6, 59.6 x 120 cm). Indoor and outdoor porcelain tiles. Swimming pools.



White B12903004 100004234 Grey B12904005 100004236

Substrate preparation and waterproofing

Waterproofing substrates. Self-levelling and smoothing compounds. Primers. Uncoupling substrates.

sylastic

sylastic is a two-component waterproofing mortar. It stands out for its high flexibility and superior bonding strength, whatever the substrate is. For professional use.

Recommended applications:

Waterproofing terraces and flat roofs.

Swimming pools, urban décor, and drinking water tanks.



Bag: 24 kg 100072729 Bucket: 8 kg B85900005 100072730

level 1 pro

level 1 pro is a fast hardening, self-levelling mortar for levelling and regularizing substrates for all kinds of floor tiles. 2 to 10 mm thickness. Specially recommended for laying rectified ceramic floor tiles.

Recommended applications:

Substrate regularization in refurbishing jobs. Indoor large size ceramic floor tile coverings. Indoor rectified floor tile coverings.



Bag: 25 Kg B15901005 100141151

super-prim

superprim is a water-based primer made of acrylic resins and siliceous sands to prepare the substrate before using adhesives or self-levelling mortars.

Recommended applications:

Primer for self-levelling mortars. Primer on existing floor tiles. Primer on plasterboard or anhydrite substrates.



Bucket: 10 kg B57500002 100123220

lamitech n

lamitech n is a multi-layer waterproof polymeric membrane, specially conceived to protect tiled floors from movements in the substrate. For professional use.

Recommended applications:

Uncoupling floor surfaces from the substrate. Laying ceramic tiles on top of deformable substrates (wood). Waterproofing and restoring terraces.



Roll: 5 sqm. B89500011 100089879

Natural stone and tile grouting

Materials for tile grouting.

s-107 n

s-107 n is a neutral silicone filler for joint sealing. Especially recommended for sealing expansion joints. Suitable for indoor and outdoor.

Recommended applications:

Joint sealing over among materials that are affected by acid attack. Expansion joint sealing in floors. Even perimeter joints.

White	100005814	Black	100005817
Grey	100005816	lvory	100120621
Bahama	100120609	Beige	100115950
Cement	100120620	Moka	100120623
Antracite	100120608	Tobacco	100120624
Caramel	100120606	Brown	100120622
Terracotta	100120625	Transparent	100005815

epotech aqua

epotech aqua is a new range of epoxy grouts, suitable for all kinds of mosaics and ceramic tiles with joint widths of 0 to 10 mm. For professional use.

Recommended applications:

Grouting tile joints in swimmingpools and wet areas.

Specially recommended for mosaic-type wall coverings.

PORCELANOSA: Trento, Firenze.
VENIS: Minimosaic, Maui.



Antracite	B42562016	100090692
Beige	B42562017	100090693
White	B42562020	100090694
Cherry	B42562018	100090695
Grey	B42562019	100090696
lvorv	B41061004	100116037

colorstuk rapid

colorstuk rapid is a range of CG 2 class grouts (rated as per EN 13888), suitable for tile joints with a width of 2 to 15mm. Colorstuk rapid stands out for its easy use, resistance and colour fastness.

Recommended applications:

Ceramic tiles, glass mosaics and natural stone of all kinds. Tile joints in indoor and outdoor wall and floor surfaces. Swimming pools and flooring subject to high traffic.



White	B22501001	100004294
Manhattan	B22502002	100004295
Cement	B22502004	100004297
Antracite	B22502005	100004298
Black	B22502006	100004299
Caramel	B22502007	100004300
lvory	B22502009	100004302
Brown	B22502010	100004303
Tobacco	B22502011	100004304
Grey	B22502013	100004305
Beige	B22502016	100004308
Moka	B21522220	100060549

Natural stone and tile grouting

Materials for tile grouting.



epotech nature NEW PRODUCT

epotech nature is a new micro grain porcelain grouting material for tiles inspired by Nature. It has been specially developed for porcelain tiles, that reproduces the appearance and texture of wood, like par-ker from PORCELANOSA Grupo. Professional use only.

Recommended applications:

Floor and wall tiles with wood finish. Wall and Floor mosaic coverings. Par-ker from PORCELANOSA Grupo. Ston-ker from PORCELANOSA Grupo. URBATEK from PORCELANOSA Grupo.

Main Characteristics:

Wood design; it reproduces the appearance and texture of the wooden floors. Epoxy material easy to apply and clean.
Waterproof joint, no water absorption.
Hypoallergenic and bacteriostatic.
Tile joints up to 5 mm.



epotech nature 1,5 kg

-p		
B42562034	100177485	wenge
B42562029	100177512	doussie
B42562033	100177505	iroko
B42562035	100177484	oak
B42562028	100177513	elm
B42562031	100177494	beech
B42562032	100177504	ash
B42562030	100177514	maple

*Colors shown are approximate.



Wet rooms and shower trays

Waterproofing membranes and shower trays.

imperband

imperband is a waterproof membrane, specially conceived for waterproofing indoor tiled walls and floors.

Characteristics:

Maximum waterproof protection using a product of a minimum thickness (0.5 mm). Tiled surfaces are laid directly on top of the waterproofing membrane. Good resistance to chemicals. Does not deteriorate over the course of time. Swift and easy to use.

Recommended applications:

For residential bathrooms and wet rooms. For public toilets and showers.



B84901006

B82902037

B82902038

100006218

100103361

100103360

Roll: 5 sqm.

Renovation kit

Standard kit

kit imperband

imperband kits are waterproofing systems for wet rooms, made up of a PVC drain and incorporated waterproofing sheet.

Characteristics:

Full waterproof protection, since it prevents the possibility of faulty waterproofing at drain level.

Usable with vertical or horizontal drain outlets, since it has a 40 mm outlet adapter. Swift and easy to use.

Recommended applications:

Specially designed for waterproofing wet rooms. For wet areas.



Drain grates

Stainless steel grates for use with the drain in Imperband kits. Available in a round or linear design in a wide range of finishes

ceramic linear grate.

Designed for ceramic screed. Ceramic tile not included.

chrome linear drain grate.

A smooth glossy grate.

texture linear drain grate.

A smooth matt grill.

Drain grates. 10 x 10 cm





B82902048

Standard

100089372



B82902021

Texture 80x10






100103369

B82902056 100114593



The linear drain grates are availables in 120x10 y 59,6x10 cm, besides Gold linear grate which is only available in 59.6 cm

Wet rooms and shower trays



Wet rooms and shower trays

New concept of shower tray for exclusive wet rooms. This system provides a shower deck finish with porcelain tiles, achieving a flat and levelled surface without a visible drain. Tiles cover the drain located underneath and water drains across the open joints giving an outstanding contemporary design. Specially designed for bathroom refurbishments. Professional use only.

butech shower deck system **NEW PRODUCT**

Recommended applications:

Indoor shower trays.

Recommended coverings:

Par-ker from PORCELANOSA Grupo. Ston-ker from PORCELANOSA Grupo. URBATEK from PORCELANOSA Grupo. Any antislip porcelain floor tile.

Main Characteristics:

Flat shower floor surface without slopes.
Concealed drain under the shower tray tiles.
Only 24 mm thick tray plus tiles.
3 mm open joint between tiles.
Reduced maintenance compared to wood decks.




 Plato shower deck 6p 952x913x40
 B88000619
 100174849

 Plato shower deck 7p 952x1060x40
 B88000618
 100175270

 Plato shower deck 8p 952x1209x40
 B88000617
 100175271

 Plato shower deck 9p 952x1357x40
 B88000616
 100175268

 Plato shower deck 10p 952x1505x40
 B88000615
 100174848




Technical profiles

Good-looking is compatible with technical solutions by using butech profiles.

pro-corner P

Metallic profile for protecting corners and creating a pilaster strip effect.






 Aluminium gloss silver
 B78141126
 100158001

 Aluminium silver
 B78141127
 100158002

pro-dilata CFI

New **pro-dilata CFI** is a 5mm wide precast expansion joint with a subtle finish for indoor ceramic tiles.







THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	710	The second second
light grey 11mm	B79241142	100159078
light grey 12,5mm	B79241134	100159080
grey 11mm	B79241143	100159076
grey 12,5mm	B79241136	100159077
black 11mm	B79241135	100159081
black 12,5	B79241133	100159082
ivory 11mm	B79241144	100159074
ivory 12,5mm	B79241140	100159075

pro-dilata CFP

Profile for movement joints in ceramic floor coverings.

pro-dilata CFP in a precast expansion joint for the perimeter of ceramic tile floors. It's only 5mm wide and specially designed for fitting with the skirting pieces.





		116
corner light grey 10mm	B79241137	100159071
corner grey 10mm	B79241138	100159070
corner black 10mm	B79241139	100159073
corner beige 10mm	B79241141	100159072


Technical profiles


Good-looking is compatible with technical solutions by using butech profiles.

pro-balcony P

pro-balcony P is an anodised aluminium coping profile.

Profiles for edging ceramic tile floors in terraces, balconies and other outdoor flooring. They protect the tile edges and avoid water filtrations both in floors and façades.






Profile 11 mm	B79241146	100159112
Outer corner 11 mm	B79241153	100159114
Vertical inner corner 11 mm	B79241152	100159116
Horizontal outer corner 11 mm	B79241151	100159113
Vertical outer corner 11 mm	B79241147	100159115

pro-balcony G

pro-balcony G is an anodised aluminium coping profile.

Profiles for edging ceramic tile floors in terraces, balconies and other outdoor flooring. They protect the tile edges and avoid water filtrations both in floors and façades.







Profile 10,5 mm	B79241145	100159110
Corner 10,5 mm	B79241148	100159111

pro-balcony R

pro-balcony R is an anodised aluminium coping profile.

Profiles for edging ceramic tile floors in terraces, balconies and other outdoor flooring. They protect the tile edges and avoid water filtrations both in floors and façades.





Profile 12,5 mm	B79241150	100159117
corner 90° 12,5 mm	B79241149	100159119
corner 135º 12,5 mm	B79241154	100159118

butech displays

butech displays

Shower tray display



Profile samples general box



Box 22x18x48 450005220

The pictures are not in the same scale

Profile samples complete set



Grouting material samples case



Grouting material samples case 450000229

Silicone samples case



Silicone samples case

450007436

Profile samples case




Case	15x38	225003425
Case type 1	15x38	100115473
Case type 2	15x38	100115474
Case news	15x38	100121193

Base decorative profiles



450008020 Base decorative profiles pro-mate 5
450008021 Base decorative profiles pro-part
450008022 Base decorative profiles pro-part Li

Profiles panel for Dakar



Profiles panel measures: 1005x2090 mm

Grates display




Display measures 220x110 cm 450008604

General panel



neral panel 200 x 100 cm 450005749

Ventilated façade panel



anel 110x75 cm 450006394





BY APPOINTMENT TO
H.R.H. THE PRINCE OF WALES
MANUFACTURER AND DISTRIBUTOR
OF CERAMIC TILES AND BUILDING PRODUCTS.
PORCELANOSA GROUP LIMITED

PORCELANOSA Grupo

butech

CARRETERA VILA-REAL - PUEBLA DE ARENOSO CV-20 APT./BOX 297 I2540 · VILLARREAL (CASTELLÓN) · SPAIN TELÉFONO: (+34) 964 536 200 · FAX: 964 530 034 (NACIONAL) · FAX: (+34) 964 530 034 (INTERNACIONAL) WWW.BUTECH.ES · E-MAIL: BUTECH@BUTECH.ES